

Technical Specifications

Pneumatic Tyre Killers

Sr. No.	Description	Specifications
1	Model Type	: S1000
2	Mobile/ Fixed	: Fixed
3	Foundation	: 500 mm
4	System Type	: Active 2-way spikes, Hollow with provision for Compressed Air Vent on each spike
5	Company Certifications	: ISO 9000-2008 (Gates & Barrier Solutions)
6	Mechanism	: Pneumatic
7	Speed	: 2 seconds
8	Cycles per hour	: 250
9	Cycle per day	: 5000
10	Dimensions	: Length 4m Width 270mm Depth 330 mm
11	Power Supply	: 5-6 ATM air pressure 110-240V AC (Compressor)
12	Operative Options	: Push button and Remote Control
13	In case of Power Failure	: Manual Operation available with 05 cycle up and down movements
14	Control panel	: Adjustable according to the customer need
15	Shock Resistance	: High level and extremely sturdy
16	Finishing Treatment	: Zinc coating (inside out), stainless steel cover, anti-corrosion treatment
17	Operating Temperature	: -20 to 60 degree centigrade



BGI ENGITECH PVT LTD

Affordable and Impregnable Security from Israel





BGI ENGITECH PVT LTD

Affordable and Impregnable Security from Israel